



**FILES « ARRETE PLANTE » – ANNEX II**

**DRY EXTRACTS**

05/2020

EXS0162IND	ACEROLA Fruit > 25 % ascorbic acid ( <i>Malpighia punicifolia</i> )	EXS0186IND	DOG ROSE soluble [5-10]% ascorbic acid ( <i>Rosa canina</i> L.)
EXS0101IND	ANISE Fruit (Seed) Soluble 4/1 ( <i>Pimpinella anisum</i> L.)	EXS0427IND	ECHINACEA Angustifolia Root 4/1 ( <i>Echinacea angustifolia</i> DC)
EXS0010IND	ARTICHOKE Leaf - > 2.5% Cynarin ( <i>Cynara scolymus</i> L.)	EXS0148IND	ECHINACEA PURPUREA Herb > 4.0% total polyphenols ( <i>Echinacea purpurea</i> Moench.)
EXS0222IND	ASH (Common) leaf aqueous soluble 4/1 ( <i>Fraxinus excelsior</i> L.)	EXS0414IND	EUCALYPTUS Leaf 10/1 ( <i>Eucalyptus globulus</i> Labill.)
EXS0260IND	ASH (Common) Leaf soluble 4/1 ( <i>Fraxinus excelsior</i> L.)	EXS0100IND	FENNEL Seed Aqueous soluble >0.5% essential oil ( <i>Foeniculum vulgare</i> L.)
EXS0169IND	BALM Leaf >0.8% rosmarinic acid ( <i>Melissa officinalis</i> L.)	EXS0288IND	GINGER Root Soluble 4/1 ( <i>Zingiber officinale</i> Roscoe)
EXS0328IND	BALM Leaf >5% Total hydroxycinnamic derivatives calc. as rosmarinic acid ( <i>Melissa officinalis</i> L.)	EXS0563IND	GINSENG Root 5% ginsenosides ( <i>Panax ginseng</i> C.A. Meyer)
EXS0071IND	BLACK TEA Leaf >30% polyphenols ( <i>Camelliae sinensis</i> L.)	EXS0325IND	GRAPE POMACE (Grape-peel-seed) aqueous dry extract 10/1 ( <i>Vitis vinifera</i> var. <i>tinctoria</i> )
EXS0378IND	BLACKCURRANT Leaf >50% tot. flavonoids calc. as rutin ( <i>Ribes nigrum</i> L.)	EXS0104IND	GREEN COFFEE Seed soluble 4/1 ( <i>Coffea arabica</i> L.)
EXS0261IND	BLACKCURRANT Leaf > 1% flavonoids (without silica) ( <i>Ribes nigrum</i> L.)	EXS0004IND	GREEN TEA Leaf >30% Polyphenols - [5-7.5]% caffeine ( <i>Camelliae sinensis</i> L.)
EXS0301IND	BLACKCURRANT Leaf aqueous 10/1 ( <i>Ribes nigrum</i> L.)	EXS0293IND	GUARANA Seed [22.0-24.0]% caffeine ( <i>Paullinia cupana</i> Kunth)
EXS0113IND	BLADDERWRACK Thallus Soluble 0.1% tot. iodine ( <i>Fucus vesiculosus</i> L.)	EXS0165IND	GUARANA Seed soluble [10-12]% caffeine (natural) ( <i>Paullinia cupana</i> Kunth)
EXS0254IND	BLADDERWRACK Thallus 0.1% tot. iodine ( <i>Fucus vesiculosus</i> L.)	EXS0313IND	HORSECHESTNUT 20% triterpene saponins ( <i>Aesculus hippocastanum</i> L.)
EXS0129IND	BURDOCK Root aqueous 4/1 ( <i>Arctium lappa</i> L.)	EXS0116IND	HORSETAIL Herb >1% silica ( <i>Equisetum arvense</i> L.)
EXS0466IND	BUTCHERS BROOM Root 5% saponins calc. as ruscogenin ( <i>Ruscus aculeatus</i> L.)	EXS0401IND	INDIAN FIG Flower and fruit 4/1 ( <i>Opuntia ficus-indica</i> Miller)
EXS0252IND	BUTCHERS BROOM Root 10% sapogenins calc. ruscogenin ( <i>Ruscus aculeatus</i> L.)	EXS0369IND	JAVA TEA Leaf dry extract >0.05% sinensetin ( <i>Orthosiphon stamineus</i> Bent.)
EXS0452IND	CAPSICUM fruit granulated coated extract - >2.0% capsaicinoids expr. as capsaicin (500 microns) ( <i>Capsicum annuum</i> L.)	EXS0125IND	LIQUORICE Root [8% - 10%] glycyrrhizic acid ( <i>Glycyrrhiza glabra</i> L.)
EXS0446IND	CARAWAY Fruit 10:1 - without silica ( <i>Carum carvi</i> L.)	EXS0377IND	MARSHMALLOW Root 4/1 ( <i>Althaea officinalis</i> L.)
EXS0314IND	CARAWAY Fruit aqueous 4:1-without silica ( <i>Carum carvi</i> L.)	EXS0294IND	MATE Leaf >8.0% natural caffeine-6.0% tot. polyphenols ( <i>Ilex paraguariensis</i> A. Saint Hilaire)
EXS0212IND	CHAMOMILE (Matricaria) Flower Soluble > 0,1% total Apigenins ( <i>Matricaria chamomilla</i> L.)	EXS0404IND	MEADOWSWEET Herb (tops) 4/1 ( <i>Filipendula ulmaria</i> L. syn. <i>Spiraea ulmaria</i> )
EXS0180IND	CHASTE TREE Fruit 4/1 - >0.5% agnuside ( <i>Vitex agnus-castus</i> L.)	EXS0339IND	NETTLE Leaf soluble >1.0% silica ( <i>Urtica dioica</i> L.)
EXS0335IND	CHERRY Stalk Soluble >0.1% tot. flavonoids ( <i>Prunus cerasus</i> L. et <i>Prunus avium</i> L.)	EXS0126IND	OLIVE Leaf >6.0% oleuropein ( <i>Olea europea</i> L.)
EXS0117IND	COLA Seed >10% natural caffeine ( <i>Cola nitida</i> (Vent.) Schott et Endl.)	EXS0121IND	PEPPERMINT Leaf Aqueous 4/1 ( <i>Menta piperita</i> L.)
EXS0259IND	COLA Seed 3/1 - >12% caffeine ( <i>Cola nitida</i> (Vent.) Schott et Endl.)	EXS0278IND	PEPPERMINT Leaf Soluble 4/1 ( <i>Menta piperita</i> L.)
EXS0245IND	CRANBERRY Fruit -> 20% proanthocyanidins (BL-DMAC) ( <i>Vaccinium macrocarpon</i> Aiton)	EXS0250IND	RED VINE Leaf >10.0% total polyphenols ( <i>Vitis vinifera</i> L.)
EXS0309IND	DANDELION Leaf soluble 10:1 ( <i>Taraxacum officinale</i> Weber)	EXS0090IND	RES'VINE - GRAPE SKIN >5 % resveratrol ( <i>Vitis vinifera</i> L.)
EXS0191IND	DANDELION Root soluble dry extract - >2.0% inulin ( <i>Taraxacum officinale</i> Weber)	EXS0062IND	RHODIOLA ROSEA Root >3% Rosavins - > 1% Salidroside ( <i>Rhodiola rosea</i> L.)
EXS0095IND	DEVILS CLAW Root >1,5% harpagoside ( <i>Harpagophytum procumbens</i> D.C.)	EXS0380IND	ROSELLE Flower aqueous ( <i>Hibiscus sabdariffa</i> L.)
EXS0396IND	DEVILS CLAW Root 4/1 ( <i>Harpagophytum procumbens</i> D.C.)	EXS0308IND	ROSEMARY Leaf Soluble 2-1 ( <i>Rosmarinus officinalis</i> L.)
EXS0428IND	DEVILS CLAW Root 6/1 ( <i>Harpagophytum procumbens</i> D.C.)	EXS0099IND	SAGE Leaf Soluble 4/1 ( <i>Salvia officinalis</i> L.)
EXS0123IND	DEVILS CLAW Root >4,0% total iridoids calc. as harpagoside ( <i>Harpagophytum procumbens</i> D.C.)	EXS0255IND	SIBERIAN GINSENG Root > 0.8% eleutherosides ( <i>Acanthopanax senticosus</i> Harms)
EXS0111IND	DEVILS CLAW Root >1,5% iridoids ( <i>Harpagophytum procumbens</i> DC and/or <i>Harpagophytum zeyheri</i> Decne)	EXS0089IND	SOYBEAN Seed 40% isoflavones ( <i>Glycine max</i> L.)
EXS0108IND	DOG ROSE Fruit >70% total ascorbic acid ( <i>Rosa canina</i> L.)	EXS0477IND	VALERIAN Root 0.2% tot. sesquiterpenic acids - valepotriates search ( 4/1 - Ethanol 30% ) ( <i>Valeriana officinalis</i> L.)

YOUR ADVISOR AND SUPPLIER  
OF QUALITY INGREDIENTS

PHARMANAGER

ingredients



## KITS « ARRETE PLANTE » – ANNEX II

### DRY EXTRACTS

EXS0107IND	ACAI Fruit 4/1 ( <i>Euterpe oleracea</i> Mart.)	EXS0529IND	GRINDELIA Flowering herb 4/1 ( <i>Grindelia robusta</i> Nuttall)
EXS0136IND	ANANAS Stalk 250 GDU/g bromelaine ( <i>Ananas comosus</i> Merr.)	EXS0293IND	GUARANA Seed 22-24% caffeine ( <i>Paullinia cupana</i> Kunth)
EXS0387IND	ASTRAGALUS Root 16.0% polysaccharides ( <i>Astragalus membranaceus</i> Bung.)	EXS0296IND	GYMNEMA Leaf 25,0% gymnemic ac ( <i>Gymnema sylvestre</i> R. Brown.)
EXS0550IND	BALM Leaf 2% rosmarinic acid ( <i>Melissa officinalis</i> L.)	EXS0285IND	HEDGE MUSTARD Flowering tops soluble 4/1 ( <i>Sisymbrium officinale</i> Scopoli)
EXS0230IND	BAMBOO Young stem 70.0% silica ( <i>Bambusa</i> spp.)	EXS0490IND	HOP Stroble soluble 4/1 ( <i>Humulus lupulus</i> L.)
EXS0580IND	BILBERRY Fruit 36% anthocyanins ( <i>Vaccinium myrtillus</i> L.)	EXS0361IND	HORSETAIL Herb 2% silica ( <i>Equisetum arvense</i> L.)
EXS0103IND	BIRCH Leaf soluble 4/1 ( <i>Betula alba</i> L.)	EXS0566IND	IVY Leaf soluble 4/1 ( <i>Hedera helix</i> L.)
EXS0544IND	BLACK COHOSH Rhizome [2.5-3.5%] triterpene glycosides ( <i>C. racemosa</i> L.)	EXS0316IND	JUNIPER Berries (seed) 4/1 ( <i>Juniper communis</i> L.)
EXS0509IND	BLACKCURRANT Fruit 1.0% anthocyanins ( <i>Ribes nigrum</i> L.)	EXS0485IND	LAVANDER Flower aqueous 4/1 ( <i>Lavandula angustifolia</i> Miller)
EXS0384IND	BLACKCURRANT Leaf 10/1 without silica ( <i>Ribes nigrum</i> L.)	EXS0434IND	LEMON Pericarp (fruit) 4/1 ( <i>Citrus medica</i> var. <i>limonum</i> (syn. <i>C. limon</i> Burm. F.))
EXS0301IND	BLACKCURRANT Leaf 10/1 ( <i>Ribes nigrum</i> L.)	EXS0297IND	LINDEN Flower soluble 4/1 ( <i>Tilia platyphyllos</i> Scopoli)
EXS0378IND	BLACKCURRANT Leaf 50% tot. flavonoids ( <i>Ribes nigrum</i> L.)	EXS0005IND	MACA Organic Root 4/1 ( <i>Lepidium meyenii</i> Walp)
EXS0254IND	BLADDERWRACK Thallus 0,1% tot. iodine ( <i>Fucus vesiculosus</i> L.)	EXS0530IND	MALLOW Leaf 4/1 ( <i>Malva sylvestris</i> L.)
EXS0395IND	BOLDO Leaf 0.05% alkaloids tot. ( <i>Peumus boldus</i> Molina)	EXS0377IND	MARSHMALLOW Root 4/1 ( <i>Althaea officinalis</i> L.)
EXS0127IND	BURDOCK Root 20.0% inulin ( <i>Arctium lappa</i> L.)	EXS0439IND	MATE Leaf soluble 3.0-4.0% caffeine ( <i>Ilex paraguariensis</i> A. Saint Hillaire)
EXS0525IND	BUTCHERS BROOM Root 10% saponins ( <i>Ruscus aculeatus</i> L.)	EXS0484IND	MEADOWSWEET Herb 10/1 ( <i>Spiraea ulmaria</i> L. (syn. <i>Filipendula ulmaria</i> ))
EXS0371IND	BUTCHERS BROOM Root 5 % saponins calc. Ruscogenin ( <i>Ruscus aculeatus</i> L.)	EXS0426IND	MILK THISTLE Fruit 10% silymarin calc. Silybinin ( <i>Silybum marianum</i> (L.) Gaertn)
EXS0466IND	BUTCHERS BROOM Root 5 % saponins calc. Ruscogenin ( <i>Ruscus aculeatus</i> L.)	EXS0374IND	MILK THISTLE Fruit 25% silymarin calc. silybin ( <i>Silybum marianum</i> (L.) Gaertn.)
EXS0204IND	CALIFORNIAN POPPY Herb 4/1 ( <i>Eschscholzia californica</i> Cham.)	EXS0241IND	MILK THISTLE Fruit 4/1 ( <i>Silybum marianum</i> (L.) Gaertn.)
EXS0298IND	CAMU CAMU Fruit 50% ascorbic acid ( <i>Myrciaria dubia</i> Mc Vaugh)	EXS0503IND	NARDOSTACHYS JATAMANSI Root 4/1 ( <i>Nardostachys jatamansi</i> (D.Don) DC.)
EXS0348IND	CAPSICUM Fruit 2% capsaicinoids ( <i>Capsicum annuum</i> L.)	EXS0392IND	NETTLE Leaf 4/1 ( <i>Urtica dioica</i> L.)
EXS0452IND	CAPSICUM Fruit 2-2.5% capsaicinoids ( <i>Capsicum annuum</i> L.)	EXS0412IND	NUT HUSK Pericarp 4/1 ( <i>Juglans regia</i> L.)
EXS0286IND	CHAMOMILE Flower soluble 4/1 ( <i>Matricaria (Chamomilla) recutita</i> L.)	EXS0126IND	OLIVE Leaf 6% oleuropein ( <i>Olea europaea</i> L.)
EXS0420IND	CHASTE TREE Fruit 4/1 ( <i>Vitex agnus castus</i> L.)	EXS0036IND	O.P.C PINE Bark ( <i>Pinus pinaster</i> )
EXS0407IND	CHERRY STALK Aqueous 4/1 ( <i>Prunus cerasus</i> L. et <i>Prunus avium</i> L.)	EXS0277IND	ORANGE Flower soluble 4/1 ( <i>Citrus sinensis</i> L. var. <i>dulcis</i> )
EXS0463IND	CITRUS 60% tot. Flavonoids ( <i>Citrus</i> spp.)	EXS0278IND	PEPPERMINT Leaf soluble 4/1 ( <i>Mentha x piperita</i> L.)
EXS0119IND	COCOA Seed 6.0% theobromine, 0.5% caffeine ( <i>Theobroma cacao</i> L.)	EXS0013IND	PROPOLIS HRD Granulated 10% polyphenols - 2% flavonoids
EXS0238IND	COCOA Seed aqueous 6.0% theobromine ( <i>Theobroma cacao</i> L.)	EXS0291IND	RED POPPY Flower soluble 4/1 ( <i>Papaver rhoeas</i> L.)
EXS0076IND	COLEUS Root 10.0% Forskolin ( <i>Coleus forskohlii</i> )	EXS0505IND	RHODIOLA Root 3.0% rosavines - 1.0% salidroside ( <i>Rhodiola rosea</i> L.)
EXS0370IND	DANDELION Leaf soluble 4/1 ( <i>Taraxacum officinale</i> Weber)	EXS0120IND	RHODIOLA Root - 1.0% salidroside ( <i>Rhodiola rosea</i> L.)
EXS0365IND	DANDELION Leaf 2% tot. flavonoids ( <i>Taraxacum officinale</i> Weber)	EXS0488IND	RHODIOLA Root 4/1 ( <i>Rhodiola rosea</i> L.)
EXS0349IND	DESMODIUM Leaf 4/1 ( <i>Desmodium adscendens</i> (Sw.) DC)	EXS0363IND	RHUBARB Root 5.0% hydroxyanthracene derivatives ( <i>Rheum palmatum</i> L.)
EXS0427IND	ECHINACEA ANGUSTIFOLIA Root 4/1 ( <i>Echinacea angustifolia</i> DC)	EXS0385IND	ROSELLE Flower without silica 4/1 ( <i>Hibiscus sabdariffa</i> L.)
EXS0242IND	ECHINACEA PURPUREA Herb 4/1 ( <i>Echinacea purpurea</i> Moench.)	EXS0380IND	ROSELLE Flower 4/1 ( <i>Hibiscus sabdariffa</i> L.)
EXS0478IND	ELDERBERRY Fruit 1/1 ( <i>Sambucus nigra</i> L.)	EXS0475IND	ROSEMARY Leaf 5.0% rosmarinic acid ( <i>Rosmarinus officinalis</i> L.)
EXS0219IND	ELDERBERRY Soluble 5/1 ( <i>Sambucus nigra</i> L.)	EXS0381IND	SAW PALMETTO Fruit [40-45%] fatty acids ( <i>Serenoa repens</i> Small)
EXS0492IND	EUPHRASIA (EYEBRIGHT) Flowering Herb 5/1 ( <i>Euphrasia officinalis</i> L.)	EXS0345IND	SCHIZANDRA Fruit 2% schizandrines ( <i>Schizandra chinensis</i> Baill.)
EXS0207IND	FENNEL Seed (fruit) 4/1 ( <i>Foeniculum vulgare</i> Mill. var. <i>dulce</i> D.C.)	EXS0214IND	ST JOHNS WORT Flowering top 0.3% tot. hypericins ( <i>H. perforatum</i> L.)
EXS0577IND	FENNEL Seed (Fruit) 1.0% essential oil ( <i>Foeniculum vulgare</i> Mill. var. <i>dulce</i> D.C.)	EXS0541IND	SENNA Fruit [6.0-8.0%] hydroxyanthracene derivatives ( <i>Cassia angustifolia</i> Vahl)
EXS0511IND	FENNEL, Sweet, Seed (Fruit) 1.0% essential oil ( <i>Foeniculum officinale</i> L.)	EXS0255IND	SIBERIAN GINSENG Root 0.8% eleutherosides ( <i>E. senticosus</i> Maxim.)
EXS0342IND	FENUGREEK Seed 20% saponins ( <i>Trigonella foenum-graecum</i> L.)	EXS0337IND	SWEET CLOVER Flowering top soluble 2% coumarin ( <i>Melilotus officinalis</i> Pallas)
EXS0588IND	FEVERFEW Flowering Herb 4/1 ( <i>Tanacetum parthenium</i> Sch. Bip)	EXS0279IND	THYME Herb (tops) soluble 4/1 ( <i>Thymus vulgaris</i> L.)
EXS0338IND	FUMITORY Tops ( <i>Fumaria officinalis</i> L.)	EXS0467IND	TUOCHA TEA Leaf 25% tot. polyphenols - 10% tot. catechins - 10% caffeine ( <i>Camellia sinensis</i> var. <i>assamica</i> (Mast.) Kitamura)
EXS0552IND	GARLIC Bulb 1.0% alliin ( <i>Allium sativum</i> L.)	EXS0236IND	TURMERIC Rhizome 30% curcumin and compounds calc. as curcumin ( <i>Curcuma longa</i> L.)
EXS0122IND	GINGER Rhizome 5.0% gingerols ( <i>Zingiber officinale</i> Roscoe)	EXS0491IND	TURMERIC Rhizome 4/1 ( <i>Curcuma longa</i> L.)
EXS0130IND	GINKGO Leaf 24% ginkgo flavone glycosides ( <i>Ginkgo biloba</i> L.)	EXS0329IND	VALERIAN Root 0.8% valerianic acids ( <i>Valeriana officinalis</i> L.)
EXS0560IND	GINKGO Leaf 6.0% ginkgo flavone glycosides ( <i>Ginkgo biloba</i> L.)	EXS0009IND	VALERIAN Root organic [0.2-0.4%] Sesquiterpenic acids
EXS0563IND	GINSENG Root 5% ginsenosides ( <i>Panax ginseng</i> C.A Meyer)	EXS0547IND	WHITE HOREHOUND Aerial part (flowering herb) aqueous 4/1 ( <i>Marrubium vulgare</i> L.)
EXS0553IND	GINSENG Root 10% tot. ginsenosides ( <i>Panax ginseng</i> C.A Meyer)	EXS0234IND	WILD PANSY art. part 4/1 ( <i>Viola tricolor</i> L.)
EXS0273IND	GOJI Fruit 40.0% polysaccharides ( <i>Lycium barbarum</i> L.)	EXS0362IND	WILLOW Bark 15,0% total salicylic derivatives calc salicin ( <i>Salix alba</i> L.)
EXS0268IND	GOJI Fruit soluble 4/1 ( <i>Lycium barbarum</i> L.)	EXS0413IND	YARROW Flowering top (herb) 4/1 ( <i>Achillea millefolium</i> L.)
EXS0243IND	GRAPEFRUIT seed 45.0% bioflavonoids ( <i>Citrus x paradisi</i> Macfad)		
EXS0305IND	GREAT MULLEIN aer. parts 4/1 ( <i>Verbascum thapsus</i> L.)		

#### CONTACT US

These elements are given for a strict information usage BtoB. Customer must ensure the conformity with their local authorities before any labelling, presentation or advertisements

[www.pharmanager-ingredients.com](http://www.pharmanager-ingredients.com)

24, rue Max Richard  
49100 ANGERS

Tél: + 33(0)2 41 20 19 86  
contact@pharmanager.com





**FILES « ARRETE PLANTE » – ANNEX II**

**PLANTS POWDER**

05/2020

26-4	<b>ALOE</b> ( <i>Aloe ferox</i> Miller)
84-4	<b>ANISE fruit</b> ( <i>Pimpinella anisum</i> L.)
59-4	<b>ARTICHOKE Leaf</b> ( <i>Cynara scolymus</i> L.)
355-4	<b>ASH Leaf</b> ( <i>Fraxinus</i> Sp.)
563-4	<b>BALM Leaf</b> ( <i>Melissa Officinalis</i> L.)
5-4	<b>BIRCH Leaf</b> ( <i>Betula alba</i> et <i>Betula pubescens</i> Ehrh.)
599-4	<b>BITTER ORANGE Leaf</b> ( <i>C. aurantium</i> L.)
434-4	<b>BLACK CURRANT Leaf</b> ( <i>Ribes nigrum</i> L.)
357-4	<b>BLADDERWRACK Thallus</b> ( <i>Fucus vesiculosus</i> L. o <i>F. serratus</i> L. o <i>Ascophyllum nodosum</i> (L.) Le Jolis)
145-4	<b>BOLDO Leaf</b> ( <i>Peumus Boldus</i> Molina)
131-4	<b>BURDOCK Root</b> ( <i>Arctium</i> sp.)
219-4	<b>CHERRY Stalk</b> ( <i>Prunus avium</i> L.)
605-4	<b>COLA Nut</b> ( <i>Cola nitida</i> (Vent.) Schott et Endl.)
223-4	<b>CYPRESS Nut</b> ( <i>Cupressus sempervirens</i> L.)
284-4	<b>DESMODIUM Stem/Leaf</b> ( <i>Desmodium adscendens</i> D.C.)
10800-4	<b>DEVILS CLAW Root Organic</b> ( <i>Harpagophytum procumbens</i> DC and/or <i>H. zeyheri</i> Decne)
471-4	<b>FENNEL SWEET Seed</b> ( <i>Foeniculum vulgare</i> (Miller) var dulce)
420-4	<b>GINGER Root</b> ( <i>Zingiber officinale</i> Roscoe)
421-4	<b>GINKGO BILOBA Leaf</b> ( <i>Ginkgo Biloba</i> L.)
780-4	<b>GREEN TEA Leaf</b> ( <i>Camelia sinensis</i> (L.) Kuntze)
432-4	<b>GUARANA Seed</b> ( <i>Paullinia sorbilis</i> C.Mart)
480-4	<b>HARPAGOPHYTUM Root</b> ( <i>Harpagophytum procumbens</i> D.C)
157-4	<b>HEATHER Tops</b> ( <i>Calluna vulgaris</i> L)
208-4	<b>HORSECHESTNUT Seed</b> ( <i>Aesculus hippocastanum</i> L.)
230-4	<b>HORSETAIL Herb</b> ( <i>Equisetum arvense</i> L.)
634-4	<b>JAVA TEA Leaf</b> ( <i>Orthosiphon stamineus</i> B.)
425-4	<b>KONJAK</b> (or Glucomannan) ( <i>Amorphophallus konjac</i> Koch.)
698-4	<b>LICORICE Root</b> ( <i>Glycyrrhiza glabra</i> L.)
588-4	<b>MARSHMALLOW Root</b> ( <i>Althaea officinalis</i> L.)
462-4	<b>MATE Leaf</b> ( <i>Ilex paraguayensis</i> L.)
816-4	<b>MEADOWSWEET Herb</b> ( <i>Spiraea ulmaria</i> L. (syn. <i>Filipendula ulmaria</i> )
269-4	<b>MILK THISTLE Fruit</b> ( <i>Silybum marianum</i> L.)
662-4	<b>MOUSE-EAR Herb</b> ( <i>Hieracium pilosella</i> L.)
631-4	<b>NETTLE Leaf</b> ( <i>Urtica dioica</i> L.)
622-4	<b>OLIVE Leaf</b> ( <i>Olea europaea</i> L.)
573-4	<b>PEPPERMINT Leaf</b> ( <i>Mentha x piperita</i> L.)
835-4	<b>RED WINE Leaf</b> ( <i>Vitis vinifera</i> L.)
712-4	<b>RHUBARB Root</b> ( <i>Rheum Palmatum/Officinalis</i> )
705-4	<b>ROSEMARY Leaf</b> ( <i>Rosmarinus officinalis</i> L.)
336-4	<b>SIBERIAN GINSENG Root</b> ( <i>Eleutherococcus senticosus</i> )
1825-4	<b>VALERIAN Root</b> ( <i>Valeriana officinalis</i> L.)
751-4	<b>WILLOW Bark</b> ( <i>Salix alba</i> L.)
446-4	<b>WITCH HAZEL Leaf</b> ( <i>Hamamelis virginiana</i> L.)





**KITS « ARRETE PLANTE » - ANNEX II**

**PLANTS POWDER**

26-4	<b>ALOES Leaf</b> ( <i>Aloe ferox</i> Miller)	216-4	<b>GOTU KOLA Herb</b> ( <i>Centella asiatica</i> L.)
84-4	<b>ANISE Leaf</b> ( <i>Pimpinella anisum</i> L.)	301-4	<b>GYMNEMA Leaf</b> ( <i>Gymnema sylvestris</i> )
59-4	<b>ARTICHOKE Leaf</b> ( <i>Cynara scolymus</i> L.)	258-4	<b>HAWTHORN Flowering top</b> ( <i>Crataegus laevigata</i> et <i>C. monogyna</i> )
355-4	<b>ASH Leaf</b> ( <i>Fraxinus excelsior</i> L.)	528-4	<b>HOP Strobe</b> ( <i>Humulus Lupulus</i> L.)
179-4	<b>BACCHARIS Leaf</b> ( <i>Baccharis genistelloides</i> )	208-4	<b>HORSECHESTNUT Seed</b> ( <i>Aesculus hippocastanum</i> L.)
563-4	<b>BALM Leaf</b> ( <i>Melissa officinalis</i> L.)	230-4	<b>HORSETAIL Aer part.</b> ( <i>Equisetum arvense</i> L.)
504-4	<b>BEAN Pod</b> ( <i>Phaseolus vulgaris</i> L.)	10436-4	<b>HORSETAIL Aer part. Organic</b> ( <i>Equisetum arvense</i> L.)
414-4	<b>BEARBERRY Leaf</b> ( <i>Arctostaphylos uva-ursi</i> Spreng)	216-4	<b>HYDROCOTYLE Herb</b> ( <i>Hydrocotyle asiatica</i> L.)
11076-4	<b>BELL HEATHER Flower</b> ( <i>Erica cinerea</i> L.)	620-4	<b>INDIAN FIG Plante</b> ( <i>Opuntia Ficus-indica</i> L.)
103-4	<b>BILBERRY Leaf</b> ( <i>Vaccinium myrtillus</i> L.)	495-4	<b>ISPAGHUL Husk</b> ( <i>Plantago ovata</i> Forskal)
691-4	<b>BLACK RADDISH Root</b> ( <i>Raphanus Sativus</i> )	320-4	<b>LAVANDER Flower</b> ( <i>Lavandula angustifolia</i> Mill.)
357-4	<b>BLADDERWRACK Thallus</b> ( <i>Fucus vesiculosus</i> L.)	517-4	<b>LINSEED</b> ( <i>Linum usitatissimum</i> L.)
145-4	<b>BOLDO Leaf</b> ( <i>Peumus boldus</i> Molina)	816-4	<b>MEADOWSWEET Flowering top</b> ( <i>Filipendula ulmaria</i> Maxim)
153-2	<b>BORAGE Seed</b> ( <i>Borrago officinalis</i> L.)	265-4	<b>MILK THISTLE Herb</b> ( <i>Silybum marianum</i> L.)
158-4	<b>BUTCHERS BROOM Rhizom</b> (Fragon) ( <i>Ruscus aculeatus</i> L.)	662-4	<b>MOUSE-EAR Herb</b> ( <i>Hieracium pilosella</i> L.)
17-4	<b>CAROB Fruit</b> ( <i>Ceratonia siliqua</i> L.)	10454-4	<b>NETTLE Leaf organic</b> ( <i>Urtica dioica</i> )
205-4	<b>CASCARA Bark</b> ( <i>Rhamnus purshiana</i> D.C.)	622-4	<b>OLIVE Leaf</b> ( <i>Olea Europea</i> L.)
817-4	<b>CAT'S CLAW Root</b> ( <i>Uncaria tomentosa</i> Willd.)	678-4	<b>PAPAYA Leaf</b> ( <i>Carica papaya</i> L.)
833-4	<b>CHASTE TREE Fruit</b> ( <i>Agnus castus</i> L.)	650-4	<b>PASSIFLORA INCARNATA Herb</b> ( <i>Passiflora incarnata</i> L.)
219-4	<b>CHERRY Stalk</b> ( <i>Prunus cerasus</i> L. et <i>Prunus avium</i> L.)	424-4	<b>RED GINSENG Root</b> ( <i>Panax ginseng</i> Meyer)
30-4	<b>CHICORY Root</b> ( <i>Cichorium intybus</i> L.)	10789-4	<b>RED VINE organic Leaf</b> ( <i>Vitis vinifera</i> L.)
260-4	<b>CHRYSANTHELLUM Aer. part</b> ( <i>Chrysanthellum indicum</i> subsp. Afroamericanum)	835-4	<b>RED VINE Leaf</b> ( <i>Vitis vinifera</i> L.)
188-4	<b>CINNAMON Bark</b> ( <i>Cinnamomum cassia</i> Blume)	733-4	<b>SAGE Leaf</b> ( <i>Salvia officinalis</i> L.)
605-4	<b>COLA Nut Seed</b> ( <i>Cola nitida</i> (Vent.) Schott et Endl.)	47-4	<b>SAVORY Leaf</b> ( <i>Satureja montana</i> L.)
248-4	<b>CORIANDER Fruit</b> ( <i>Coriandrum sativum</i> L.)	756-4	<b>SENNA Leaf</b> ( <i>Cassia senna</i> L.)
288-4	<b>DANDELION Aer. part</b> ( <i>Taraxacum officinale</i> F.h.Wigg)	336-4	<b>SIBERIAN GINSENG Root</b> ( <i>Eleutherococcus senticosus</i> )
10800-4	<b>DEVIL'S CLAW Root</b> ( <i>Harpagophytum Procumbens</i> DC)	848-4	<b>SIMLAX Root</b> ( <i>Simlax officinalis</i> Griseb)
318-4	<b>DOG ROSE Fruit</b> ( <i>Rosa canina</i> L.)	767-4	<b>SPIRULINA</b> ( <i>Spirulina</i> sp.)
311-4	<b>ECHINACEA PURPUREA Root</b> ( <i>Echinacea purpurea</i> (L.) Moench)	475-4	<b>ST JOHNS WORT Aerial part</b> ( <i>Hypericum perforatum</i> L)
329-4	<b>EUCALYPTUS Leaf</b> ( <i>Eucalyptus globulus</i> L.)	81-4	<b>STAR ANISE Fruit</b> ( <i>Illicium verum</i> Hook.)
64-4	<b>FENUGREEK Seed</b> ( <i>Trigonella foenum-graecum</i> L.)	566-4	<b>SWEET CLOVER Flowering top</b> ( <i>Melilotus officinalis</i> L.)
323-4	<b>FIREWEED Herb</b> ( <i>Epilobium angustifolium</i> L.)	795-4	<b>THYME Leaf</b> ( <i>Thymus vulgaris</i> L.)
361-4	<b>FUMITORY Aerial part</b> ( <i>Fumaria officinalis</i> L.)	446-4	<b>WITCH HAZEL Leaf</b> ( <i>Hamamelis virginiana</i> L.)
56-4	<b>GARLIC Bulb</b> ( <i>Allium sativum</i> L.)		

**CONTACT US**

These elements are given for a strict information usage BtoB. Customer must ensure the conformity with their local authorities before any labelling, presentation or advertisements

[www.pharmanager-ingredients.com](http://www.pharmanager-ingredients.com)

24, rue Max Richard  
49100 ANGERS

Tél: + 33(0)2 41 20 19 86  
contact@pharmanager.com

